Document 22-552

Book 2022 Page 552 Type CORNR Pages 1 Date 1/28/2022 Time 12:52 PM Rec Amt \$7.00


GARDEN & ASSOC. P.O. Box 451, Oskaloosa, Iowa 52577-0451 Phone: (641)672-2526

KAREN SCHWANEBECK, RECORDER MARION COUNTY IOWA

UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE

OF Land Survey Monuments situated in Section 12 ___, Township 76 , Range _, of the Fifth Principal Meridian,___ MARION County, Iowa. Previously recorded in SEE BELOW _ in County Recorder's Office. Monument Description and Remarks: NW CORNER PREVIOUSLY RECORDED IN BOOK 2016 PAGE 1129. NE CORNER PREVIOUSLY RECORDED IN BOOK 1 PAGE 426.

N 1/4 COR



NW COR

CENTERLINE VERMEER RD Ø MAG NAIL ON POWER POLE MAG NAIL ON POWER POLE

CENTERLINE 250TH AVE 5/8" X 30" REBAR WITH YELLOW PLASTIC PLS# 19960 CENTERLINE VERMEER RD Ø X NAILS ON POWER POLE

NE COR

DECEMBER 10, 2021 FOUND BROKEN CONCRETE NAIL 0.3' EAST OF 240TH PL CENTERLINE AND 1.0' NORTH OF VERMEER RD

COUNTY RECORDS INDICATE CONCRETE NAIL WAS SET ABOVE WPA CONCRETE MONUMENT BY MARION COUNTY ENGINEER DURING ROAD PAVING PROJECT.

SET MAG NAIL 0.1' SOUTH OF CENTERLINE VERMEER RD AT LOCATION OF CONCRETE NAIL IN CUT X FOUND IN 2005.

COUNTY RECORDS INDICATE CONCRETE NAIL WAS SET ABOVE WPA CONCRETE MONUMENT BY MARION COUNTY ENGINEER DURING ROAD PAVING PROJECT.

DECEMBER 10, 2021
FOUND 1/2* REBAR IN PAVING 2.2' SOUTH OF
CENTERLINE VERMEER RD AND IN CENTERLINE OF
250TH AVE AT LOCATION NOTED IN BOOK 1 PAGE
426.

INTERSECTION HAS BEEN RECONSTRUCTED SINCE TIES NOTED IN BOOK 1 PAGE 426.

COUNTY RECORDS INDICATE CONCRETE NAIL WAS SET ABOVE WPA CONCRETE MONUMENT BY MARION COUNTY ENGINEER DURING ROAD PAVING PROJECT.

I hereby certify that this land surveying document was prepared and the related survey work was performed by me or under my direct personal supervision and that I am a duly licensed Professional Land Surveyor under the laws of the State of Iowa.

21,2022 anuary Randal J. Nugteren, P.L.S.

License number. 14416

My license renewal date is December 31, 2022

SEAT.



List Cor	List Corners to be Indexed					
Corners	Section	Township	Range			
NW COR	12	76	18			
*						
N 1/4 COR	12	76	18			
NE COR	12	76	18			

Book 2016 Page 1129 Type CORNR Pages 1 Date 3/22/2016 Time 2:36 PM Rec Amt \$7.00

KAREN SCHWANEBECK, RECORDER MARION COUNTY IOWA

UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE of

76 North SURVEY MONUMENTS SITUATED IN SECTION_ 01 TOWNSHIP_ **RANGE** _, of the Fifth Principal Meridian,_ Marion County, Iowa.

Monument Description & Remarks:_NORTHWEST CORNER SECTION 01-76-18 Found 5/8" _ Rerod 2" deep. Monument was found using ties from Field Book 1 at the .

County Engineers Office.


Monument Description & Remarks:_WEST QUARTER CORNER SECTION 01-76-18 Found


1/2" Rerod 7" deep. Monument was found using ties from Field Book 2 at

Monument Description & Remarks:_SOUTHWEST CORNER SECTION 01-76-18 Found cut __ "X" and broken PK Nail. Monument was found using ties from Field Book 1 __ at the County Engineers Office. _____ the County Engineers Office. Monument was found using ties from Field Book 1

Recorded ties were not found for all three monuments therefore new ties were _ . created.


PLAN VIEW





N.W CORNER

Fnd. 5/8" Rerod (2" Deep)



West Side of North Side of Stop Sigri Post Stop Sign Post **VERMEER ROAD** PLACE East Side of South Side of Stop Sign Post Stop Sign Post

W. 1/4 CORNER

Fnd. 1/2" Rerod (7" Deep)

S.W CORNER Fnd. Cut "X" and Broken PK Nail

I HEREBY CERTIFY THAT THIS LAND SURVEYING DOCUMENT WAS PREPARED AND THE RELATED WORK WAS PERFORMED BY ME OR UNDER MY DIRECT PERSONAL SUPERVISION AND THAT I AM A DULY LICENSED PROFESSIONAL LAND SURVEYOR UNDER THE LAWS OF THE STATE OF IOWA.

3-21-2016 10

AIVARS LEO PELOS, P.E. & L.S. IA, LIC, NO.4640, DATE MY LICENSE RENEWAL DATE IS DECEMBER 31, 2017

ADDITIONAL PAGES OR SHEETS COVERED BY THIS SEAL (NONE UNLESS INDICATED HERE):_____

35.0		
		4,
	AWARS LEO PELDS 4640	9
	Act of the second	ξ.

Corne Corner	rs to be Section	Indexed Twp	: Range
NW Corner	01	76	18
NE Corner	02	76	18
W 1/4 Corner	01	76	18
E 1/4 Corner	02	76	18
SW Corner	01	76	18
SE Corner	02	76	18
NE Corner	11	76	18
NW Corner	12	76	18

PREPARED BY: A. LEO PELDS ENGINEERING CO. - 2323 DIXON STREET, DES MOINES, IOWA 50316 - PH. (515)265-8196

RISTOCASH- Per Pelds Engineering

